



- [IIII](#)
- [IIII](#)
 - [FM11NC08S](#)
 - [FM1208](#)
- [IIII](#)
 - [HYm4616A1/2/3/4/5/6](#)
- [NXP](#)
- [TI](#)
 - [TRF7970A](#)
- [STMicroelectronics](#)



- ☐☐☐☐☐
 - [TI TRF7970A](#)
 - [FMSH FM11NC08S](#)
- ☐☐☐NFC☐☐
 - [NXP PN532](#)
 - NXP PN7150
 - [ST CR95HF](#)
 - HED CIE72D01
- ☐☐☐
 - [FMSH FM1208](#)
 - [HYm4616A1/2/3/4/5/6](#)
 - [HYm4616A7](#)





FM11NC08S







FM11NC08 符合 ISO/IEC14443 A 型 NFC 的 FM11NC08 与 FM11NC08S 及 FM11NC08I 均支持 I2C 及 NFC 接口

- FM11NC08 集成 MCU 及 NFC 接口，支持 848Kbps
- FM11NC08 具有 8Kbit EEPROM，MCU 及 NFC 接口，EEPROM 支持 MCL
- FM11NC08 集成 MCU 及 NFC 接口
- FM11NC08 集成 MCU 及 NFC FORUM type4 TAG 接口





FM1208

FM1208  CPU  64K Byte EEPROM ISO14443 Type A 13.56MHz|
PBOC 2.0  IC 

[COS](#) 

[COS](#) 





HYm4616A1/2/3/4/5/6

HYm4616A1-6 符合 ISO/IEC 14443 TYPE A 符合 CPU 符合

HYm4616A1-6 符合 Turbo 51 符合 32bit 符合 DES / 3DES 符合 33bit SM1 符合 M1 符合

NXP

TI

TRF7970A

TRF7970A 13.56MHz RFID/ (ISO/IEC 21481) ISO15693 ISO18000-3 ISO14443A/B Felica (106kbps212kb RF NFC RF 2.7VDC 5.5VDC LDO 3.3V MCU

STMicroelectronics